April-18-13 1:25:28 PM Item ID: D3914-041 Accept *N900040100* Setup Start Revision ID: Item Name: Long Basket Lid Assembly (350) **Start Date:** 4/18/13 Start Qty: 1.00 **Cust Item ID:** Required Date: 5/02/13 Req'd Qty: 1.00 **Customer:** Reference: Process Plan: ML5 Date: 13-04-18 Tooling: Run Approvals: Date: QC: _____ Date: ____ SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Accept Reject Reject Insp. Work Center ID Description **Run Hours** Code **Qty Qty** Number Stamp Draw Nbr **Revision Nbr** D3914 D4020 100 Weld per dwg A/R S.S. rod Batch: MI24816 0.00 Large Fab *100* Large Fab Memo 0.00 Large Fab 1- assemble ribs, weld as per dwg D3914 using DT9607A 2- weld hinge (3) and Mounting brackets as per dwg D3914 ***Visual inspect before welding mesh*** 3- tack weld mesh on basket as per dwg D3914 ***Cut out mesh where label plate goes in center off basket lid as per dwg D4020-5. Make sure to place mesh correctly on lid, check with label plate before tacking mesh*** 110 QC9- Inspect visual per QSI004- Fusion Welds 0.00

QC

Memo

0.00

Quality Control

1.

 $\frac{1}{2}$

| | | | | | | | | | | DQA: | Date | |
|---------------|------------|------------|------------|----------|----------------------------|----------|----------|------------------------|----------------------|--------------|---------------|--------------------|
| NCR: Y | es / No | | | | WORK ORDER NON- | 100 | NFORM | AANCE / UPDATE | | | | |
| ,,,,, | | | ж. | | | | | | | QA Closed: | Date | |
| Work Orde | | | | | DISPOSITION | | | A | GAINST DEF | PARTMENT | /PROCESS | |
| WOIK OIGE | :1· | | | | Rework | 1 | e set of | Skid-tube Cro | osstube | | Water Jet | Engineering |
| Part N | lo | | | | Scrap Use-as-is | † · | r | Machining Sm | nall Fab inishing | | d. Eng. Coor. | Quality |
| NCR N | lo | | | | Work Order Update |] | 1 | ~ | nposite | , | Supplier | |
| Root | | | | Descri | ption of work order update | | Initial | Action | | Sign & | | |
| Cause | Date | Step | Qty | (| or Non-conformance | Ch | nief Eng | Description | 1 | Date | Verification | QC Inspector |
| Doc/Data | | | | | | | | | | | | |
| Equip/Tooling | | | | | | | | | | | | |
| Operator | | | | | | | | | | | | |
| Material | | 1 | | | | | | | | | · | |
| Setup | | | 1 1 | | | | | | | | | |
| Other | | | | | | | | | | | | |
| Process | | | | | | | | | | | · | |
| Supplier | | | | | | | | | | | | |
| Training | | | | | | | | | | | i | • |
| Unapproved | | | | | | <u> </u> | | - 18 | | | | |
| | | | | | F | AUI | LT CATE | GORY | | | | |
| Landir | ng Gear | | | , | General | | , | | | Ì | _ | ¬ |
| | Bending | | | | Bend | <u> </u> | Grain | | | Ovalized | | Pressure/Forced |
| | Centre N | ot Conce | ntric to C |)/S | BOM/Route | | Hardwa | re | | Over/Under | tolerance | Temperature/Cure |
| | Cracks | | | | Broken/Damaged | L | Inspecti | on incomplete | | Part Incorre | ct | Weld |
| | Crushed/ | Crimped. | | L | Burrs | | Instruct | ions Incomplete/Unclea | ır | Part Lost/M | issing | Wrong Stock Pulled |
| | Cuffs | | | | Contamination ` | | Mainte | nance | | Part Moved | | |
| · [| Heat Trea | at | | | Countersink | | Mislabe | led | | Positioned V | | |
| | Inspectio | n.Strip in | Tube | | Cut Too Short | | Misread | 1 | | Power Loss/ | 'Surge | Other |
| | Ripples ir | Bend | | | Drill Holes | | Offset | | | | | |

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish Folio

Work Order ID 100179 A Control

April-18-13 1:25:28 PM

100179

Item ID: D3914-041 Accept *N900040100* Setup Start Revision ID: Item Name: Long Basket Lid Assembly (350) **Start Date:** 4/18/13 Start Qty: 1.00 Cust Item ID: Required Date: 5/02/13 Req'd Qty: 1.00 **Customer:** Reference: Run Process Plan: Date: Tooling: Approvals: Date: QC: ____ Date: ____ SPC (Y/N): Date:____ Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Accept Reject Reject Insp. Work Center ID Description **Run Hours** Code **Qty** Otv Number Stamp 120 QC5- Inspect part completeness to step on W/O 0.00 *120* OC 0.00 Memo 13517 Quality Control 130 Black Sandtex(Ref:4.3.5.7) per QSI005 4.3 0.00 *130* 1x gm/ 13/05/ Powdercoat -36 0.00 Memo Powder Coating *** mask sides of hinge prior to powdercoat*** M123430 Start Time: 5 Oven Temperature: Finish Time: Wing Walk as per dwg QSI005 4.4 Batch 10/253460 140 *140* 1 6 BL 13-HandFinish 0.00 Memo Hand Finishing 1- Mask data plate and apply wing walk on outside surface of mesh as per dwg 2- Install placard and label as per dwg

2- Install placard and label as per dwg

***Mask label plate to size of label, use scotchbrite red pad to lightly sand area
for label, apply label ***

....

| NCR: Y | es / No | | | | WORK ORDER NON- | CONF | ORN | AANCE / UP | DATE | | QA Closed: | D | ate: | , | |
|--------------|------------|------------|------------|-------------------|--------------------------------|--------------|------------------|------------------------|------------------------|----------|----------------------------|-----------------------|----------|---|---------------------------------------|
| Work Orde | ••• | | | <u> </u> | DISPOSITION | | | | AGAINST | | PARTMENT | | | Value () () () () () () () () () (| · · · · · · · · · · · · · · · · · · · |
| e e | | | | | Rework |] | | Skid-tube | Crosstube | _ | _ | Water Je | \vdash | Engineering |] |
| Part N | 0 | | | | Scrap | ┤ │ _ | | Machining | Small Fab | | | d. Eng. Coor | _ | Quality | ┨ |
| NCR N | lo | | | | Use-as-is Work Order Update | | | noforming Large Fab | Finishing Composite | | Rec/Stor | e/Packagin Supplie | - | Other | _ |
| Root | | | | Descri | ption of work order update | Init | tial | Ad | tion | | Sign & | | • | | |
| Cause | Date | Step | Qty | 1 | or Non-conformance | Chief | f Eng | Desc | ription | | Date | Verificati | on | QC Inspector | |
| Doc/Data | | | | | , | | | | | | | | | | |
| quip/Tooling | | | | | | | | | | | | | İ | | |
| Operator | | | | | | | | | | | | | İ | | |
| Material | | 1 | | | | | | | | | | | | | |
| Setup | _ | | | | | | | | | | | | . [| | |
| Other | | | | | | } | | | , | | | | | | |
| Process | | | | | | | | | | | | | | | |
| Supplier | _ | | | | | | | | | | | | | | |
| Training | | | | | | | | | | | | | | | |
| Unapproved | | · | | | | | | | | | | <u></u> | | | |
| | | | | | | AULT (| CATE | GORY | | | | | | | |
| Landir | ng Gear | | | _ | General | \Box | | | | | 1 | | | Pressure/Forced | • |
| . | Bending | | | - | Bend | \vdash | rain | | | } | Ovalized | +=1===== | \vdash | Temperature/Cure | • |
| } | Centre No | ot Concei | ntric to (| ^{3/S} - | BOM/Route | | ardwa | | | - | Over/Under Part Incorre | | H | Weld | E |
| . } | Cracks | o · | | - | Broken/Damaged | | | on Incomplete | /! ! | \vdash | 1 | | — | Wrong Stock Pulle | ~d |
| - | Crushed/ | Crimped. | | <u> </u> | Burrs | \vdash | | ions Incomplete, | ronciear | \vdash | Part Lost/Mi Part Moved | SSITIE | L | WI ONE SLOCK PUNE | :u |
| - | Cuffs | | | | Contamination | \vdash | | nance | | - | Positioned V | Vrong | | | |
| - | Heat Trea | | Tuda - | | Countersink | \vdash | lislabe | | | \vdash | Positioned v | = | | Other | |
| 1 | Inspectio | | iupe | - | Cut Too Short | — | lisread ffset | 1 | | <u></u> | Jrowei Loss/ | ouige | Ļ. | Other | |
| . } | Ripples in | | | <u> </u> | Drill Holes | — | | Calibration | | | | · | | · | |
| i | Torque W | raves in E | extrusion | 1 | Drawing | 1 10 | ut of C | Calibration | | | | | | | |

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence
Wave/Twist in Tube

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

NB105,24

| NCR: | Yes / No | | | | WORK ORDER NON-C | CONFO | RMANCE / U | PDATE | QA Closed: | Date: | |
|---------------|---------------|------------|----------|--------|----------------------------|--------------|-------------------|-----------|--------------|---------------------------------------|---------------------------------------|
| · | | | | -:. | | | | | : | · · · · · · · · · · · · · · · · · · · | |
| Work Orde | er: | | | | DISPOSITION | | | AGAINST D | EPARTMENT | /PROCESS | |
| | | | | | Rework | | Skid-tube | Crosstube | | Water Jet | Engineering |
| Part N | No | | | | Scrap |] [| Machining | Small Fab | ↓ | d. Eng. Coor. | Quality |
| | | | | | Use-as-is | The | ermoforming | Finishing | Rec/Sto | re/Packaging | Other |
| NCR N | No | | | | Work Order Update |] | Large Fab | Composite | _ | Supplier | |
| Root | | | | Descri | ption of work order update | Initia | l A | Action | Sign & | | |
| Cause | Date | Step | Qty | | or Non-conformance | Chief E | ng De: | scription | Date | Verification | QC Inspector |
| Doc/Data | | | | | | | | | | | |
| Equip/Tooling | | | | | | | | | | | |
| Operator | | | | | | | | | | | |
| Material | | | | | | | } | | | | |
| Setup | | | | | | | | | | | |
| Other | | | | | | | | | | | |
| Process | | ļ | · | | | | | | | | |
| Supplier | | į | | | | | | | | | |
| Training | \dashv | | | | | | | | | · | |
| Unapproved | <u>L</u> | <u> </u> | | | | <u> </u> | TEGORY | | <u> </u> | <u> </u> | <u> </u> |
| Landii | ng Gear | | | | General General | AULI CA | TEGORI | | | | |
| | Bending | | | | Bend | Grai | n | Γ | Ovalized | | Pressure/Forced |
| | 1 | ot Conce | ntric to | o/s | BOM/Route | Hard | lware | | Over/Under | r tolerance | Temperature/Cure |
| | Cracks | | | | Broken/Damaged | Insp | ection Incomplete | | Part Incorre | ect | Weld |
| | Crushed | /Crimped | _ | | Burrs | Instr | uctions Incomplet | e/Unclear | Part Lost/M | lissing | Wrong Stock Pulled |
| | Cuffs | | | | Contamination | Mai | ntenance | | Part Moved | 1 | |
| | Heat Tre | at | | | Countersink | Misl | abeled | | Positioned | Wrong | |
| | Inspection | n Strip in | Tube | | Cut Too Short | Misr | ead | | Power Loss, | /Surge | Other |
| Ì | Ripples i | n Bend | | | Drill Holes | Offs | et | | | | · · · · · · · · · · · · · · · · · · · |
| | Torque V | Vaves in I | Extrusio | n [| Drawing | Out | of Calibration | | | | |
| | Turning S | Sequence | ! | | Finish | Out | of Sequence | | | | |

Outside Dimensions

DQA:

Date: _

Turning Sequence

Wave/Twist in Tube

Finish Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

April-18-13 1:25:33 PM

Work Order ID: 100179

100179

Parent Item:

D3914-041

Parent Item Name: Long Basket Lid Assembly (350)

D3914-041

Start Date: 4/18/13

Required Date: 5/02/13

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:A new issue DD 10.03.19 verified by:EC

as per dwg revB DD 10.08.18 verified by:EC PER DWG REV.pc1 DD VERF:JLM

IPP Rev:B IPP Rev:C 13.03.14 AS

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Status Issued |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|----------------------|----------------|--------------|--------------|-------------------|----------------------------------|
| D2581 | | Manufactured | No | | | 100 | Each | 72.0000 | 2 | 2 | 1 | |
| *D2581* Mounting Bracket | | | | | | | | | ** | | Ger | 3·5·7 |
| | | | | Location | | Loc | <u>Oty</u> | Loc Code | - | B9850 | 3- | (3) |
| | | | | WA | | | — _ 44 | <u>.</u> | | | | |
| | | | | | 98503 | | 44 | | - | | | |
| | | | | WA004 | | | 28 | | _ | | _ | |
| | | • | | | 70766 | | 2 | | | | _ | |
| | | | | | 81253 | | l | | _ | | _ | |
| | | | | | 82506 | | 2 | | _ | | _ | |
| | | | | | 83230 | | 3 | | | | _ | |
| | | | | | 85452 87706 | | 2 | | _ | | _ | |
| | | | | | 98108 | | 2 16 | | | | _ | |
| 03914-1 | | Manufactured | No | | 20100 | 100 | Each | 17,0000 | _ | | - | |
| *D3914-1* | | | | | | 100 | Each | 17.0000 | 2 | 2 | | |
| 17.5914-1" | | | | | | | | | ** | | (pl, | 73.5.7 |
| | | | | Location | | Loc (| Qty | Loc Code | | | 3976 | 73.5.7 559 -> (|
| | | | | WA004 | | | 2 | | | | • | |
| | | | | | 88645 | | 2 | | | | _ | |
| | | | | WA005 | | | 15 | | | | _ | |
| | | | | | 81449 | | 1 | | | | - | |
| | | | | | 82131 | | 1 | | | | _ | |
| | • | | | | 87079 | | 1 | | | | - - | |
| | | | | ! | 97660 | | 12 | | | | | |

| | | | | | | | | | | | DQA: | Date | : |
|---------------|---------------|-------------|------------|----------|----------|---------------------------------------|----------|----------|------------------|------------|-----------------------|---------------|--------------------|
| NCR: \ | es / | ' No | | | | WORK ORDER NON- | 100 | NFORM | AANCE / UPI | DATE | | | |
| ··· | | | | · | | * | | | | | QA Closed: | Date |) . |
| Work Orde | or. | | | | į | DISPOSITION | | | | AGAINST DE | PARTMENT | /PROCESS | |
| WOIK Olde | -1· | | | | | Rework | 1 | | Skid-tube | Crosstube | | Water Jet | Engineering |
| Part N | ۱o. | | | | | Scrap | 1 | i e | Machining | Small Fab | ┥ | d. Eng. Coor. | Quality |
| | | | | | | Use-as-is | 1 | Therm | noforming | Finishing |] Rec/Sto | re/Packaging | Other |
| NCR N | ۸o | | | | | Work Order Update |] | | Large Fab | Composite | | Supplier | |
| Root | Т | | | | Descri | ption of work order update | | Initial | Act | ion | Sign & | | |
| Cause | | Date | Step | Qty | (| or Non-conformance | Ch | nief Eng | Desci | ription | Date | Verification | QC Inspector |
| Doc/Data | | | | | | | | | | | | | |
| Equip/Tooling | | | | | | | | | | | | | |
| Operator | | | | | | | | | | | | * | |
| Material | | | | | | | | | | | | | |
| Setup | | | | | | | Ì | | | | | | |
| Other | | | | | | | | | | | | | |
| Process | Ш | | | | | | | | | | | | |
| Supplier | Ш | | | | | | | | | | | | |
| Training | Ш | | | | | | | | | | | | |
| Unapproved | Ш. | | <u> </u> | | | | | | | | 1 | <u> </u> | |
| | | | | | | · · · · · · · · · · · · · · · · · · · | ΑUι | LT CATE | GORY | | | | |
| Landi | | | | | | General | | 1 | | <u></u> | 70 | Г | Pressure/Forced |
| | | ending | _ | | | Bend | - | Grain | | <u> </u> | Ovalized | | Temperature/Cure |
| | — | | ot Concer | ntric to | O/S | BOM/Route | <u> </u> | Hardwa | | }- | Over/Under | | Weld |
| | ${f oxed{H}}$ | racks | | | · - | Broken/Damaged | - | 4 | on Incomplete | | Part Incorre | F- | Wrong Stock Pulled |
| | _ | | Crimped. | | _ | Burrs | \vdash | - | ions Incomplete/ | Unclear | Part Lost/M | | |
| | — | uffs . – | | | <u> </u> | Contamination | \vdash | Mainte | | - | Part Moved | | |
| | — | eat Trea | | | · | Countersink | \vdash | Mislabe | | }- | Positioned Power Loss | | Other |
| | \vdash | | n Strip in | Tube | _ | Cut Too Short | - | Misread | 1 | L | Trower ross | /surge | Totalei |
| | l IR | ipples in | Bend | | | Drill Holes | 1 | Offset | | | | | |

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

April-18-13 1:25:33 PM

Work Order ID: 100179

100179

Parent Item:

D3914-041

D3914-041

Parent Item Name: Long Basket Lid Assembly (350)

Start Date: 4/18/13

Required Date: 5/02/13

Start Qty: 1.00

**

19.0000

Required Qty: 1.00

D3914-7

D3914-7

| | | | - |
|-----------------|---------|----------|---|
| Location | Loc Qty | Loc Code | |
| WA004 | 4 | | |
| 97135 | 4 | | _ |

Each

D4016-3

Manufactured

Manufactured

Manufactured

No

No

WA005 15 82928 3 88649 97949 11 100 Each

100

31.0000

**

**

**

D4016-3

Hinge Half, Lid

| Location | Loc Qty | Loc Code |
|----------|---------|----------|
| WA004 | 31 | |
| 94755 | 8 | |
| 95317 | 5 | |
| 95563 | 18 | |

100

Each

Each

18.0000

3.0000

D4018-5

D4018-5

Rib

| Location | Loc Qty | Loc Code |
|-----------------|---------|----------|
| WA004 | 18 | |
| 88678 | 18 | |

100

D4020-5

Manufactured

Mesh (350 Basket Long, Lid)

Location Loc Oty Loc Code WA007

3 96611 3

April-18-13 1:25:33 PM

Shop Packet Print

Page 2

| | | | | | | | | | | | DQA: | Date |): |
|---------------|--------------|------------|------------|----------|-------------|----------------------------|-----|--------------|-------------------------|----------|--------------|------------------------------|--------------------|
| NCR: | ⁄es | / No | | | | WORK ORDER NON-C | O | IFORN | AANCE / UPDATE | | • | | |
| | | | | | | | | | | | QA Closed: | Date | |
| Manle Onde | | | - | | | DISPOSITION | | | AGAINS ⁻ | r DE | PARTMENT | PROCESS | |
| Work Orde | er | | | | | Rework | 1 | | Skid-tube Crosstube | • | | Water Jet | Engineering |
| Part N | ۱o. <u>-</u> | | , | | | Scrap Use-as-is | | ſ | Machining Small Fab | | | d. Eng. Coor. e/Packaging | Quality Other |
| NCR I | No | | <u> </u> | | | Work Order Update | | | Large Fab Composite | <u> </u> | | Supplier | |
| Root | T | <i>'</i> | | | Descri | ption of work order update | | nitial | Action | t | Sign & | | |
| Cause | | Date | Step | Qty | C | or Non-conformance | Ch | ief Eng | Description | | Date | Verification | QC Inspector |
| Doc/Data | | | | | | | | | | | | | |
| Equip/Tooling | | | | | | | | | | | | | |
| Operator | | | | | | | | | | | | : | İ |
| Material | | | | | | | | | | | | | |
| Setup | | | | | | | | | | | | | |
| Other | | | | | | | | | | | | | |
| Process | | • | | | | | | | | | | | |
| Supplier | | | | ļ | | | | | | | | | |
| Training | | | | | ļ | | | | | | | | |
| Unapproved | П | | | | | | | | | | | | <u> </u> |
| | | | - | | | F | AUL | T CATE | GORY | | 417.4 | | |
| Landi | ng G | ear | | | | General | | | | _ | 7 | _ | _ |
| | | Bending | | | | Bend | | Grain | | | Ovalized | _ | Pressure/Forced |
| | | Centre No | ot Conce | ntric to | o/s | BOM/Route | | Hardwa | re | <u>_</u> | Over/Under | tolerance | Temperature/Cure |
| | | Cracks | | | | Broken/Damaged | | Inspect | on Incomplete | L | Part Incorre | ct | Weld |
| | | Crushed/ | Crimped. | | | Burrs | | Instruct | ions Incomplete/Unclear | | Part Lost/M | issing | Wrong Stock Pulled |
| | П | Cuffs | | | | Contamination | | Mainte | enance | L | Part Moved | | |
| | \square_i | Heat Trea | t | | | Countersink | | Mislabe | led | | Positioned V | Vrong | · |
| | \square | nspectio | n Strip in | Tube | | Cut Too Short | | Misread | d | | Power Loss/ | Surge | Other |
| | \prod_{i} | Ripples in | Bend | | | Drill Holes | | Offset | | | | | |

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

April-18-13 1:25:33 PM

Work Order ID: 100179

100179

Parent Item:

D3914-041

D3914-041

Parent Item Name: Long Basket Lid Assembly (350)

Start Qty: 1.00 Manufactured

100

Each

Start Date: 4/18/13 Required Date: 5/02/13 Required Qty: 1.00

D4021-3

D4021-3

Data Plate

Location Loc Oty Loc Code WA004 25 80897 9 82507 88510 15 100 Each 7.0000

25.0000

**

D4035-041

Manufactured

Lid Rib Assembly, Fwd (350 Basket)

| Location | <u>n</u> | | Loc Oty | Loc Code | |
|----------|----------|-------------|---------|----------|---|
| WA004 | | % _° | 6 | | |
| | 97733 | | 6 | | |
| WA005 | | | 1 | | |
| | 89282 | | 1 | | |
| | | 140 | Each | 0.0000 | 0 |

D2728-3

Manufactured

31

Dart Logo label

| | | | | | | | | | | | DQ | ۸: D | ate: | |
|---------------|---------------|----------|------------|----------|-----|----------------------------|----------|--------------|--------------------|------------|------------|---------------|------|--------------------|
| NCR: | Yes / | No | | | | WORK ORDER NON-C | O | VFORN | ANCE / UPD | ATE | | | | |
| | | | | | | | | | | | QA Close | d: D | ate: | |
| Work Ord | or: | ** | | | | DISPOSITION | | | | AGAINST DE | PARTMEN | T/PROCESS | | |
| WOLK OLD | er | | | | | Rework | 1 | | Skid-tube | Crosstube |] | Water Je | t | Engineering |
| Part I | No. | | | | | Scrap | 1 | | Machining | Small Fab | P | rod. Eng. Coo | ſ. | Quality |
| | | | | | | Use-as-is | | Therm | noforming | Finishing | Rec/St | ore/Packagin | g | Other |
| NCR I | No | | | | | Work Order Update |] | | Large Fab | Composite |] | Supplie | r | |
| | | . 1 | | | | | | | A . 1 · | | Cian 0 | | | |
| Root | | | | _ | i ' | ption of work order update | 1 | nitial | Actio | | Sign & | \\\ | | OC Inspector |
| Cause | | Date | Step | Qty | (| or Non-conformance | Ch | ief Eng | Descri | ption | Date | Verificati | on | QC Inspector |
| Doc/Data | Ш | | | | | | | | | | | | | |
| Equip/Tooling | Ш | | | | | | | | | | | | | |
| Operator | | | | | | | | | | | <u> </u> | | | ł |
| Material | | | | | | | | | | | | | | |
| Setup | | | | | | | | | | | | | | |
| Other | | | | | | | | | | | | | | |
| Process | | | | | | | | | | | | | | |
| Supplier | | | | | İ | | | | | | | | | |
| Training | | | | | | | | | | | | | | |
| Unapproved | | | | | | | <u> </u> | | | | <u> </u> | | | |
| | | | | | | F | AUL | T CATE | GORY | | | | | |
| Landi | ng Ge | ar | | | | General | | _ | | | - | | _ | 7 |
| | В | ending | | | | Bend | L | Grain | | | Ovalized | | | Pressure/Forced |
| | C | entre No | t Conce | ntric to | o/s | BOM/Route | | Hardwa | re | | Over/Und | er tolerance | L | Temperature/Cure |
| | \prod_{C_1} | racks | | | | Broken/Damaged | | Inspecti | on Incomplete | <u></u> | Part Incor | rect | | Weld |
| | Cı | rushed/ | Crimped. | | | Burrs | | Instruct | ions Incomplete/Ui | nclear | Part Lost/ | Missing | | Wrong Stock Pulled |
| | Пс | uffs | | | | Contamination | | Mainte | nance | | Part Move | ed | | |
| | Пн | eat Trea | t | | | Countersink | | Mislabe | led | | Positione | d Wrong | - | _ |
| | In | spection | n Strip in | Tube | | Cut Too Short | | Misread | | | | ss/Surge | | Other |

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Ripples in Bend

Turning Sequence

Wave/Twist in Tube


Torque Waves in Extrusion

Drill Holes


Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G



100179



9 <u>D4020-5 MESH (350 BASKET LONG, LID)</u> (LOCAL SECTION MESH SHOWN FOR CLARITY)


D4020-7 MESH (350 BASKET SHORT, LID)
 (LOCAL SECTION MESH SHOWN FOR CLARITY)

REV. A SHEET 2 OF 4 SCALE

NTS

| NOTES: 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F | 9 D4020-7 MESH (350 BASKET (LOCAL SECTION MESH SHOWN | | : | MA 2010 -03-12 M |
|---|--|------------|------|---|
| REF DART SPEC. M304EX0.75-16F 2) FINISH: NONE | | DESIGN | AJS | DART AEROSPACE LTD |
| 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED | | DRAWN | JPH | HAWKESBURY, ONTARIO, CANADA |
| 4) UNITS: INCHES UNLESS OTHERWISE NOTED 5) BREAK SHARP EDGES: N/A | | CHECKED | (P) | DRAWING NO. R |
| 6) IDENTIFICATION: N/A | | MFG. APPR. | E | D4020 SHEET |
| 7) WEIGHT -5: 0.80 lbs APPROX | | APPROVED | JAP. | TITLE |
| -7: 4.49 lbs APPROX 8) LOCAL TRIM MAY BE NECESSARY TO CLEAR FASTENERS/STRUCTURE SEE NEXT ASSY FO | OR DETAILS | DE APPR. | -##- | 350 BASKET MESH (BASE) |
| 9) TOLERANCE ON XX.XX DIMENSIONS ± 0.06. | 511 DE 17100 | DATE 10.0 | 3.04 | THIS DOCUMENT EMPARTS AND COMPOSITION HIS BEFORED ON THE EMPRISS CONDITION TO HOT TO BE USED FOR ANY PURPOSE OR COMPED OR COMMANDATION TO THEIR PERSON WITH THE PROPERSON FROM DART ADDISSPACE LTD. |

D



NOTES:

1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F

2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: N/A
7) WEIGHT: 1.22 Ibs
8) LOCAL TRIM MAY BE NECESSARY TO CLEAR FASTENERS/STRUCTURE SEE NEXT ASSY FOR DETAILS
9) TOLERANCE ON XX.XX DIMENSIONS ± 0.06.

D

DESIGN AJS DART AEROSPACE LTD JPH G/ DRAWN HAWKESBURY, ONTARIO, CANADA DRAWING NO. CHECKED REV. A D4020 SHEET 3 OF 4 MFG. APPR. APPROVED TITLE SCALE 350 BASKET MESH (BASE)


COPYRIGHT © 2010 BY DART AEROSPACE LTD


THIS DOOLMON'S OF PRIVATE AND CONFEDENCE, MOST SUPPLYED ON THE DYPRESS DOWN
HOT TO BE LODGE ON ANY PAPEOS OF GOODING ON COMMENT TOTO ANY OTHER PRIVATE


ON THE PRIVATE OF ANY PAPEOS OF GOODING ON COMMENT TOTO ANY OTHER PRIVATE


ON THE PRIVATE OF THE PRIVATE NTS DE APPR. DATE 10.03.04

8









NOTES: 1) MATERIAL -1: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.049 WALL REF DART SPEC. M304TS0.750W.049

-7: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBE, 0.50 X 0.50 X 0.049 WALL REF DART SPEC. M304TS0.500W.049

Ç

2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IV/A
7) WEIGHT: SEE ASSEMBLED WEIGHTS

| DESIGN | A15 | DART AEROSPACE LTD |
|------------|-----|--|
| DRAWN | R | HAWKESBURY, ONTARIO, CANADA |
| CHECKED | SC | DRAWING NO. REV. E |
| MFG. APPR. | 24 | D3914 SHEET 4 OF |
| APPROVED | -W | TITLE SCALE |
| DE APPR. | -#- | LONG BASKET LID ASSY (350) NTS |
| 10.08.05_ | | COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS SOCIALDITIS PROVIDE AND CONFEDERTILL AND IT CURPLED ON THE COPRESS CONCIDENT THAT IT OF MOST TO BE USED FOR ANY FUNCTION OF COPPED ON COMMANDATE TO ANY OTHER PROPERTIES OF ANY O |

F. J. James James

94.50 REF D3914-1 RIB

D3914-7 RIB